



An Italian tile made in the USA





### An Italian tile made in the USA

Enjoy the best of both worlds with Galaxy. The essence of sandstone fused with the splendor of porcelain creates a unique tile collection with the appearance and grace of natural stone but the durability of porcelain tile. This stone-inspired collection provides the style that your space desires. Beautiful color options and a variety of sizes make it a unique statement of elegance for residential and commercial settings.







### beige

12"x12" 11.54"x23.19" rectified, semi-polished iced rocks, nirvana stone blend





### grigio

11.54"x23.19" rectified, semi-polished



### grigio

18"x18" 11.54"x23.19" rectified, semi-polished






### hazelnut

18"x18" iced rocks, alluring sunset blend





18"x36" rectified glitz, metal leaf, gold sun





18"x36" rectified



### nero

18"x18"






# nutmeg



### nutmeg





silver 12"x12"

# beige





# hazelnut

## nero

# nutmeg

silver




and a

18"x18" 18"x36" Rectified<sup> $\Omega^{\dagger}$ </sup> 1095584 Beige 1095581 Grigio 1095580 Hazelnut 1095583 Nero 1095582 Nutmeg 1095585 Silver 1095578 Beige 1095575 Grigio 1095574 Hazelnut 1095577 Nero 1095576 Nutmeg 1095579 Silver 12"x24" 🔶 11.54"x23.19" Rectified, Semi Polished<sup> $\Omega^+$ </sup> 1095568 Beige 1095565 Grigio 1095564 Hazelnut 1095567 Nero 1095566 Nutmeg 1095569 Silver 1095539 Beige 1095536 Grigio 1095535 Hazelnut 1095538 Nero 1095537 Nutmeg 1095540 Silver 3"x12" Bullnose Cove Base 6"x12" Outside Corner 1"x6" IJ 1095590 Beige 1095587 Grigio 1095586 Hazelnut 1095589 Nero 1095588 Nutmeg 1095591 Silver



F CORIM USA









022	n24	, .	
-6">	<b>'2</b> 4"	57	

1095562	Beige
1095559	Grigio
1095558	Hazelnut
1095561	
1095560	
1095563	Silver

Inside Corner 1"x6"



Beige	1095521	
Grigio	1095518	Grigio
lazelnut	1095517	Hazelnut
lero	1095520	Nero
Nutmeg	1095519	Nutmeg
Silver	1095522	Silver

### SHADE VARIATION



Differences among pieces from the same production run are minimal.





While the colors present on a single piece of tile will be indicative of the colors to be expected on the other iles, the amount of colors on each

PACKAGING							
SIZES	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ. FT PER BOX	WEIGHT PER BOX	BOXES PER PALLET	WEIGHT PER PALLET
12"x12"	30x30	9 mm	14	14	57.4	48	2,755
18"x18"	45x45	9 mm	7	15.75	64.5	32	2,116
6"x24" +	15x60	9 mm	14	14	57.4	48	2,805
12"x24" +	30x60	9 mm	7	14	57.4	48	2,805
11.54" x 23.19" Rectified, Semi-Polished $\Omega^{\uparrow\infty}$	29.31x58.90	9 mm	7	13.02	53.38	48	2,562
18" x 36" Rectified <sup>Ω†</sup>	45.72x91.44	10 mm	3	13.5	59.4	27	1,654
3" x 12" Bullnose	7.5x30	9 mm	12	3	12.7	168	2,184
2" x 2" Mosaic (12" x 12")	30x30	9 mm	10	10	40.6	45	1,877
6"x12" Cove Base	15x30	8 mm	10	5	17.5	48	890
1"x6" Inside Corner	2.5x15	8 mm	4	-	1	-	-
1"x6" Outside Corner	2.5x15	8 mm	4	-	1	-	-

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED. PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

+ MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16") IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4")

<sup>†</sup> RECTIFIED MATERIAL IS NOT MODULAR WITH NOMINAL PRESSED MATERIAL.

<sup>Ω</sup> FOR STAGGERED APPLICATIONS, WE RECOMMEND 30% OFFSET.

∞ THE SEMI-POLISHED IS NOT RECOMMENDED FOR EXTERIOR HORIZONTAL APPLICATIONS OR FOR WET AREAS OR WHERE STANDING WATER MAY ACCUMULATE.

### TECHNICAL SPECIFICATIONS - COLOR BODY PORCELAIN

		Natural	Semi-Polished	ASTM C1027
Surface Abrasion	PEI	IV	IV	ASTM C1027
Water Absorption		≤0.5%	≤ 0.5%	ASTM C373
Chemical Resistance		NOT AFFECTED	NOT AFFECTED	ASTM 650
Dynamic Coefficient of Friction		≥ 0.42 •	≥ 0.35 •	ANSI 137.1
Stain Resistance		NOT AFFECTED	NOT AFFECTED	ASTM C1378
Breaking Strength		≥ 400 (9mm), ≥ 300 (8mm)	≥ 400 (9mm), ≥ 300 (8mm)	ASTM C648
Resistance to Freeze		RESISTANT	RESISTANT	ASTM C1026
Scratch Hardness		≥7	≥7	MOHS

### ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1.

• DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.









o that one tile may have ifferent colors from that on other tiles. Thus, the final installation

### WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

### Benefits of Porcelain Tile

 Impervious to water Easy to maintain Variety of design options
Environmentally friendly Resistant to germs and bacteria Fade resistant Fire resistant • Durable - best long-term value vs. other floor coverings

### HOW TO MAINTAIN YOUR PORCELAIN TILE

Sweep or vacuum regularly.Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).

Find more care, maintenance, and installation tips at www.florimusa.com



### PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification


(Leadership in Energy and Environmental Design).

### A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

### TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.







300 International Blvd. Clarksville, TN 37040 toll free 877 - Florim1 (356-7461) tel. 931 645 5100 www.florimusa.com