Connect

Tactile interactions of life and space



PR()TECT[®] ANTIMICROBIAL SURFACE

This collection is made with

the exclusive antimicrobial Protect technology

PR()TECT[®]

To live healthily, safe and secure

Antimicrobial floor and wall coverings with the highest performance



POWERFUL ACTION *eliminates microbes and prevents their reproduction*



CONTINUOUS PROTECTION *always active, 24 hours a day, with and without sunlight*



ETERNAL EFFECTIVENESS thanks to the technology permanently integrated into the product

protect.panariagroup.it

PANARIAgroup[®]




The beauty of feeling at home

Connect to the world, to others, to yourself discover the beauty of every moment

Connect reflects the contemporary nature is mixed, multiracial. Combining different is created, where diversity becomes the ne "lived-in" texture in which delicate colors intermingle. A perfect mix that generates suitable for any type of indoor environme

the present, where everything interacts, ones, a unique and original surface eauty, to be discovered through a slightly ariety of designs and natural veining extraordinary new look,









Gently welcoming your own presence

The naturalness of the Connect stone effect surfaces cross dynamic, multifunctional spaces with coordinated solutions for floor and wall tiles, inviting gestures, emotions and sensations that belong to continuously evolving lifestyles.



Harbour

Sospiri

Akashi

Discover

Porcelain stoneware

Indoor NATURAL SIZES 24"x24" 12"x24" 6"x24"

Forth

10

Brooklyn

new sensations of space and time

The Connect collection consists of a number of sizes that can be combined with each other and a choice of decors that allow you to enhance your home with personality. A surface with a natural finish, richly shaded, producing a rippled look, generated by the interaction of different materials veining and effects of wear. Beauty which is both strong and natural, for design solutions with contemporary charm.

Living in contact with oneself and others, to find oneself again

Communicating, building relationships, creating bonds are essential to understanding who we are. This awareness allows us to change points of view and to enrich ourselves day after day in the discovery of new, practical and functional ideas, even for the surroundings that symbolise us.



Sospiri Natural 24"x24" - 60,4x60,4 cm Sospiri Natural 6"x24" Rect - 15x60 cm

1

11

LV Sector

THE FASHON 1001

, ;

X-PUMEH BW

Harry Christ

77

_

111

日間

ļIJIJ

S.

47

133.



III N

U

L.

1111

1111

1111




Akashi Natural 12"x24" - 30x60,4 cm Forth Natural 6"x24" Rect - 15x60 cm

-



Vibrant surfaces for inviting, open spaces






Akashi Natural 12"x24" - 30x60,4 cm Forth Natural 6"x24" Rect - 15x60 cm





Wellness, harmony and naturalness



Harbour Natural 24"x24" - 60,4x60,4 cm Forth Natural 12"x24" - 30x60,4 cm





New connections for metropolitan spaces

The contemporary, multifaceted style of the collection brings originality to modern, functional meeting spaces where you can stay alone or in company: places where you can share everything you love, feeling the energy that flows and feeds into relationships, even the most unexpected, surrounded by sincere and true sensations.



Forth Natural 24"x24" - 60,4x60,4 cm_Akashi Natural 12"x24" - 30x60,4 cm Muretto Forth Natural 12"x28" - 30x71 cm

The spontaneity of simple gestures is reflected in dynamic urban settings, with a fresh look, in which the desire to discover grows through shared experiences






Muretto Forth Natural 12"x28" - 30x71 cm






Freedom to explore new forms of interaction



Brooklyn Natural 24"x24" - 60,4x60,4 cm Muretto Brooklyn Natural 12"x28" - 30x71 cm

A technical manual to inspire, to explore the entire collection in detail, to share ideas and solutions or to look for new ones.

The story continues...



Panariagroup Ceramics at their best

SAFE HYGIENIC LONG-LASTING **ZERO VOCS IT DOES NOT BURN**

HEALTHIER Thanks to the integrated Protect[®] antimicrobial technology

for different uses

CERAMIC. A SAFE CHOICE.

Ceramics offer unique and outstanding performance

RESISTANT VERSATILE STABLE RECYCLABLE **ENVIRONMENT-FRIENDLY**

Panariagroup stands out for its superior quality products

EASIER TO CLEAN Thanks to our exclusive surface processing techniques

MORE VERSATILE AND SUITABLE FOR EVERY USE Thanks to the wide availability of high-performance technologies and components that allow you to obtain products suitable

MORE SUSTAINABLE

Thanks to a production process that is extremely efficient in terms of compliance with environmental standards and consumption of water, energy and raw materials

Connect

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🟦 🛆 📠

SOSPIRI





24"x24" - 60,4x60,4 cm

NATURAL

🛨 9 mm

🛨 9 mm

12"x24" - 30x60,4 cm NATURAL

6"x24" Rect - 15x60 cm NATURAL

HARBOUR





🛨 9 mm



6"x24" Rect - 15x60 cm NATURAL

12"x24" - 30x60,4 cm

24"x24" - 60,4x60,4 cm

NATURAL

NATURAL

PR()TECT ANTIMICROBIAL SURFACE


Connect

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🟦 冾 🌆

AKASHI





∓9 mm

12"x24" - 30x60,4 cm NATURAL

NATURAL

∓9 mm

6"x24" Rect - 15x60 cm NATURAL



BROOKLYN



24"x24" - 60,4x60,4 cm

¥9 mm



🛨 9 mm

12"x24" - 30x60,4 cm NATURAL

24"x24" - 60,4x60,4 cm

NATURAL

6"x24" Rect - 15x60 cm NATURAL



COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🟦 冾 🌆

FORTH





24"x24" - 60,4x60,4 cm NATURAL



12"x24" - 30x60,4 cm NATURAL

🛨 9 mm

6"x24" Rect - 15x60 cm NATURAL

PR()TECT[°] ANTIMICROBIAL SURFACE with MICROBAN

Connect

COLOURED-BODY GLAZED STONEWARE

DECOS



MURETTO SOSPIRI Mesh Mounted 12"x28" - 30x71 cm NATURAL **¥**9 mm



MURETTO BROOKLYN Mesh Mounted 12"x28" - 30x71 cm NATURAL 🛨 9 mm



MOSAIC 36 PCS SOSPIRI 12"x12" - 30x30 cm NATURAL 🛨 9 mm

MOSAIC 36 PCS HARBOUR 12"x12" - 30x30 cm NATURAL

🛨 9 mm



MOSAIC 36 PCS BROOKLYN

12"x12" - 30x30 cm

NATURAL

🛨 9 mm

12"x12" - 30x30 cm NATURAL 🛨 9 mm

TRIM PIECES



BULLNOSE 33/4"x24" - 9.5x60 cm NATURAL 🛨 9 mm All colors available





MURETTO HARBOUR Mesh Mounted 12"x28" - 30x71 cm NATURAL 🛨 9 mm



MURETTO FORTH Mesh Mounted 12"x28" - 30x71 cm NATURAL 🛨 9 mm





MOSAIC 36 PCS FORTH



MURETTO AKASHI Mesh Mounted 12"x28" - 30x71 cm NATURAL 🛨 9 mm



MOSAIC 36 PCS AKASHI 12"x12" - 30x30 cm NATURAL 🛨 9 mm



COLOURED-BODY GLAZED STONEWARE

PR()TECT ANTIMICROBIAL SURFACE

Connect

COLOURED-BODY GLAZED STONEWARE

TECHNICAL FEATURES

COLOURED-BODY GLAZED STONEWARE according to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

TECHNICAL FEATURES		TEST METHOD	REQUIRED VALUES - ANSI A137.1	CONNECT AVERAGE VALUES	
	WATER ABSORPTION	ASTM C373	≤ 0.5%	COMPLIANT	
	BREAKING STRENGTH	ASTM C648	≥ 250 lbf	350 lbf 9 mm	
PEI	SURFACE ABRASION RESISTANCE	ASTM C1027	As indicated by manufacturer	PEI 5 SOSPIRI PEI 4 HARBOUR - BROOKLYN - AKASHI PEI 3 FORTH	
	LINEAR THERMAL EXPANSION	ASTM C372	No provision	$\alpha \le 4.4 \times 10^{-6} \circ F^{-1}$ $\alpha \le 8 \times 10^{-6} \circ C^{-1}$	
*	STAIN RESISTANCE	ASTM C1378	As indicated by manufacturer	A RESISTANT	
	CHEMICAL RESISTANCE ⁽¹⁾	ASTM C650	As indicated by manufacturer	A RESISTANT	
耧	FROST RESISTANCE	ASTM C1026	As indicated by manufacturer	RESISTANT	
	BOND STRENGHT	ASTM C482	≥ 50 PSI	COMPLIANT	
	SLIP RESISTANCE	ANSI A326.3	-	ID - DCOF ≥ 0.42 (dry) Natural IW - DCOF ≥ 0.42 (wet) Natural IW+ Natural***	
	SHADE VARIATION	ANSI A137.1	As indicated by manufacturer	V3 Moderate variation	
0	FLAME SPREAD	ASTM E84	-	Class A	
	THERMAL CONDUCTIVITY	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F	
1	RECOMMENDED MINIMUM JOINT	RECT (INDOOR)	-	1/8" - 3.2 mm approx.	
1		NOT RECT (INDOOR)	-	3/16" - 4.7 mm approx	
4	THICKNESS	SIZES			
		24"x24" - 60,4x60,4 cm	-	9 mm	
		12"x24" - 30x60,4 cm	-		
		6"x24" Rect - 15x60 cm	-		

(*) Excluding hydrofluoric acid and its derivatives.

(**) Grout Joint Recommendations. Per TCNA Handbook, the minimum required joint width for ceramic tile and natural stone is 1/16th". Setting ceramic or stone without a grout joint of a least 1/16", often referred to as a butt joint, does not provide sufficient accommodation for dynamic building movement, differential thermal expansion, or allowable variation in fabrication or manufacturing.

(***) With the exception of areas characterized by a higher risk of slipping (such as public showers, indoor swimming pools, etc.) for which an Anti-Slip surface is recommended.

PACKINGS AND WEIGHTS

SIZES	SF / CTN	LINEAR FT / CTN	PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET
24"x24" Natural	15.82	-	4	36	569.52	64.48	2,321.28
12"x24" Natural	15.82	-	8	32	506.24	66.58	2,130.56
6"x24" Rect Natural	11.62	-	12	48	557.76	52.47	2,518.51
MOSAIC 36 PCS 12"x12" Natural	4.84	-	5	90	435.6	20	1,800
MURETTO 12"x28" Natural	7.75	-	4	30	232.5	31.97	959.1
BULLNOSE 3 ^{3/4} "x24" Natural	10.8	31.71	16	60	648	44.09	2,645.4





tchens, bathrooms, living rooms ar sidential environments.	nd othe

CERTIFICATIONS





Product designed in Italy and made in USA

PANARIA AND THE ENVIRONMENT





100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES





100% WATER RECYCLING

The water used in the production process is recycled. The water demand is strongly reduced by this mean.

100% OF NON CERAMIC WASTE




46

PR()TECT ANTIMICROBIAL SURFACE

LIGHT COMMERCIAL

Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms



Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.



Mainly for external areas that require flooring with anti-slip characteristics.



λ DCOF Acutest Dynamic Coefficient Of Friction





PANARIA CERAMICA is a member of the U.S. Green Building Council: this is an organisation that promotes USGBC buildings that are environmentally responsible, profitable and healthy places to live and work. LEED card CONNECT series is available on request.



Certified by UL Enviro

LOW EMISSIONS IN THE ATMOSPHERE

SAFETY REQUIREMENTS: NO FIRE REACTION

issions in the atmosphere

NFPA 255.



CERTIFIED

GREENGUARD CERTIFICATION

CONNECT series is made in a productior olan "GOI D" certified y GREENGUARD.

ENVIRONMENTAI PRODUCT DECLARATION This Environmental Product Declaration is provided by Tile Council of North America (TCNA)

Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.



Ø

PANARIA PACKING MATERIAL IS 100% RECYCLABLE

Carton boxes, plastic packaging materials, wooden pallets, straps, etc.

Panaria production plant strictly complies to US Standards with a very small amount of gas

All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84

- Standard Test Method for Surface Burning Characteristics of Building Materials. This is due to the flame spread rating of (0) and smoke developed rating of (0) falling within the ranges of

a Class A material. Other building codes refer to this as a Type I material in accordance with



METHANE CONSUMPTION IS HIGHLY REDUCED

the use of up to date technologies and customized installations.



Follow us on



Group Marketing & Communications - Panariagroup July 2022



Via Panaria Bassa, 22/a 41034 Finale Emilia (Modena) - Italy Tel. +39 0535 95111 - Fax +39 0535 90503 info@panaria.it - panaria.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A. panariagroup.it