

PR()TECT[®]

ANTIMICROBIAL SURFACE

This collection is made with the exclusive antimicrobial Protect technology



PR()TECT°

To live healthily, safe and secure

Antimicrobial floor and wall coverings with the highest performance



POWERFUL ACTION

eliminates microbes and prevents their reproduction



CONTINUOUS PROTECTION

always active, 24 hours a day, with and without sunlight




FTFRNAL FFFFCTIVENESS

thanks to the technology permanently integrated into the product





protect.panariagroup.it





The beauty of feeling at home










A great palette of ideas ready for us

The Home collection conveys the authenticity of natural materials, with the human touch reducing the imperfections, adding contemporary refinement, and letting us appreciate, more than ever, all that is beautiful and pleasing to touch and to look at.

Our homes are places dedicated to hospitality, expressing harmony in many ways.

It is a labyrinth where we are never lost, where emotions and creativity are combined and where we find our identity through our passion for culture and for living.



A pleasing sense of intimacy around us

We perceive naturalness more clearly in the increasing variety of forms and shapes which help us achieve our wish to make every corner of the house special. The Home collection is a softened, harmonious flow of surfaces and styles designed for new settings in which to feel good. Small corners to relax in, where the solidity of stone becomes as variable as concrete, right for coordinated floor and wall solutions.











Our dynamic lifestyles need functional, harmonized outdoor spaces





Charm is a tone on tone mix of colors, forms and textures








Natural contemporary aesthetics full of memories











Home, a place to meet and feel comfortable

A home is many different styles combined. This attitude reflects our relationship with friends, going out with them and experiencing new surroundings.

Uniqueness, creativity, flair: a perfect mix of quality and pure all-Italian creativity are found in the Home collection. It is a variegated design for surfaces, with a great variety of tones within the same color scheme. The range of decors and refined decorative designs can be combined or used singularly. The atmosphere created is even more original, with room for reflection for everyone, recalling unforgettable craftsmanship and ancient beauty.



Enjoy a thousand flavors of contemporary recipes







The story continues...

A technical manual to inspire, to explore the entire collection in detail, to share ideas and solutions or to look for new ones.



CERAMIC. A SAFE CHOICE.

Panariagroup Ceramics at their best

Ceramics offer unique and outstanding performance

SAFE RESISTANT

HYGIENIC VERSATILE

LONG-LASTING STABLE

ZERO VOCS RECYCLABLE

IT DOES NOT BURN ENVIRONMENT-FRIENDLY

Panariagroup stands out for its superior quality products

HEALTHIER

Thanks to the integrated Protect® antimicrobial technology

MORE VERSATILE AND SUITABLE FOR EVERY USE


Thanks to the wide availability of high-performance technologies and components that allow you to obtain products suitable for different uses

EASIER TO CLEAN

Thanks to our exclusive surface processing techniques

MORE SUSTAINABLE

Thanks to a production process that is extremely efficient in terms of compliance with environmental standards and consumption of water, energy and raw materials



20 mm

20 mm porcelain stoneware for outdoor

20 mm porcelain stoneware has the highest technical performance of any product and is perfect for outdoor spaces, with no risk of breakage. It enables solutions that create seamless continuity between interior and exterior spaces. Resistant to frost and to thermal shock, it also has heightened anti-slip characteristics, maintains its texture and color over time, and is easy to clean. The perfect union between aesthetic qualityand high technical performance, guaranteeing limitless durability.

RESISTANT AND FUNCTIONAL

Superior mechanical strength and slip resistance, highly resistant to heavy loads.

EASY AND VERSATILE

Simple to install, remove and reuse; easy to clean. Resistant to vehicular passage when applied to a screed with adhesives.

AN ETERNAL SURFACE

The product and its colors remain stable over time and are highly resistant to stains.

SUITABLE FOR ALL OUTDOOR USE

Resistant to frost, fire, atmospheric agents, thermal shock, acids, mold and salt. Can be combined with products for interior spaces seamlessly and without interruptions.

ECO-FRIENDLY

Manufactured in a way which respects and protects the environment.

Home

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🛅 🖆 ា ANTI-SLIP

PR()TECT

Home

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🛍 📥 📠 ANTI-SLIP 🛔

PR()TECT

WHITE RANGE



24"x24" Rect - 60x60 cm

₹ 9 mm

₹ 9 mm

NATURAL




NATURAL

12"x24" Rect - 30x60 cm

24"x48" Rect - 60x120 cm NATURAL

GREY RANGE



₹9 mm

24"x24" Rect - 60x60 cm NATURAL

₹9 mm

12"x24" Rect - 30x60 cm NATURAL



24"x48" Rect - 60x120 cm NATURAL

FLOOR VIEW



FLOOR VIEW



GREIGE RANGE



24"x24" Rect - 60x60 cm NATURAL

∓ 9 mm

₹9 mm

12"x24" Rect - 30x60 cm NATURAL



24"x48" Rect - 60x120 cm NATURAL

FLOOR VIEW



20 mm



24"x24" - 60.7x60.7 cm ANTI-SLIP*

45



All colors available

^{*} No antimicrobial protection


Home

PR()TECT°

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🕮 🖆 📠 ANTI-SLIP 🛔


ACCESSORY



WHITE RANGE



FLOOR VIEW



ACCESSORY
Suitable for interiors floor and wall

Home

COLOURED-BODY GLAZED STONEWARE

INTENDED USE: NATURAL 🏦 📥 📠 ANTI-SLIP 📠


ACCESSORY



GREY RANGE



FLOOR VIEW



ACCESSORY
Suitable for interiors floor and wall

46

PR()TECT

Home

INTENDED USE: NATURAL 🛍 🖆 🖭 ANTI-SLIP 📠

COLOURED-BODY GLAZED STONEWARE


PR()TECT

Home


COLOURED-BODY GLAZED STONEWARE

PR()TECT

ACCESSORY



GREIGE RANGE



FLOOR VIEW



ACCESSORYSuitable for interiors floor and wall

DECOS





MURETTO WHITE RANGE A+B Mesh Mounted Mix Accessory and Floor

12"x28" Rect - 30x71 cm NATURAL ***** 9 mm



MOSAIC 25 PCS WHITE RANGE

12"x12" Rect - 30x30 cm NATURAL * 9 mm

TRIM PIECES



BULLNOSE 3^{3/4}"x24" Rect - 9,5x60 cm

NATURAL **÷** 9 mm

20 mm



COVE BASE (Special orders only)

MURETTO GREY RANGE A+B Mesh Mounted

Mix Accessory and Floor

12"x28" Rect - 30x71 cm

MOSAIC 25 PCS GREY RANGE

12"x12" Rect - 30x30 cm

NATURAL

NATURAL

₹ 9 mm

6"x12" Rect - 15x30 cm NATURAL → 9 mm



COPING 45 ANGLE R ROUNDED EDGE


12"x24" Rect - 30x60 cm ANTI-SLIP* **±** 20 mm

MURETTO A+B Mesh Mounted

COPING 45 ANGLE L


ROUNDED EDGE 12"x24" Rect - 30x60 cm

ANTI-SLIP* ★ 20 mm



COPING ROUNDED EDGE 12"x24" Rect - 30x60 cm ANTI-SLIP*

₹ 20 mm



COPING STRAIGHT EDGE A 12"x24" Rect - 30x60 cm

ANTI-SLIP* ★ 20 mm

MURETTO GREIGE RANGE A+B Mesh Mounted

Mix Accessory and Floor

12"x28" Rect - 30x71 cm

MOSAIC 25 PCS GREIGE RANGE
12"x12" Rect - 30x30 cm

NATURAL

NATURAL

∓ 9 mm

₹9 mm

COPING STRAIGHT EDGE B23/4"x24" Rect - 7x60 cm

49

All colors available

TRIM PIECES

All colors available. Only full boxes sold, manufactured only upon special request, 30 days delivery.

Each box contains four pieces: two type A and two type B

 * No antimic robial protection

COLOURED-BODY GLAZED STONEWARE



COLOURED-BODY GLAZED STONEWARE



TECHNICAL FEATURES

COLOURED-BODY GLAZED STONEWARE according to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

ECHNICAL FEATURES		TEST METHOD	REQUIRED VALUES	AVERAGE VALUES		
····· \	WATER ABSORPTION	ASTM C373	≤ 0,5%	CONFORMS		
<u> </u>	BREAKING STRENGTH	ASTM C648	≥ 250 lbf	350 lbf 9 mm 2,800 lbf 20 mm		
PEI	SURFACE ABRASION RESISTANCE	ASTM C1027	As indicated by manufacturer	PEI 5 White Range PEI 4 Grey Range, Greige Range		
	LINEAR THERMAL EXPANSION	ASTM C372	No provision	$\alpha \leq 4.4 \times 10^{-6} ^{\circ}F^{-1}$ $\alpha \leq 8 \times 10^{-6} ^{\circ}C^{-1}$		
*	STAIN RESISTANCE	ASTM C1378	As indicated by manufacturer	A RESISTANT		
5 '	CHEMICAL RESISTANCE ^(*)	ASTM C650	As indicated by manufacturer	A RESISTANT		
**	FROST RESISTANCE	ASTM C1026	As indicated by manufacturer	RESISTANT		
	BOND STRENGHT	ASTM C482	≥ 50 PSI	CONFORMS		
	SLIP RESISTANCE	ANSI A326.3	-	ID - DCOF ≥ 0.42 (dry) Natural IW - DCOF ≥ 0.42 (wet) Natural IW+ Natural*** EW Anti-Slip		
	SHADE VARIATION	ANSI A137.1	As indicated by manufacturer	V4 Substantial variation		
3 '	FLAME SPREAD	ASTM E84	-	Class A		
## ¹	THERMAL CONDUCTIVITY	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F		
$\overline{\mathbb{H}}$	RECOMMENDED MINIMUM JOINT(*)	RECT (INDOOR) OUTDOOR	-	1/8" - 3.2 mm approx. 3/16" - 4.7 mm approx.		
7	THICKNESS	SIZES 24"x24" Rect - 60x60 cm	-	9 mm		
		12"x24" Rect - 30x60 cm 24"x48" Rect - 60x120 cm	-			
		24"x24" - 60.7x60.7 cm	-	20 mm		

(*) Excluding hydrofluoric acid and its derivatives.

(**) Grout Joint Recommendations. Per TCNA Handbook, the minimum required joint width for ceramic tile and natural stone is 1/16th". Setting ceramic or stone without a grout joint of a least 1/16", often referred to as a butt joint, does not provide sufficient accommodation for dynamic building movement, differential thermal expansion, or allowable variation in fabrication or manufacturing.

(***) With the exception of areas characterized by a higher risk of slipping (such as public showers, indoor swimming pools, etc.) for which an Anti-Slip surface is recommended.

PACKINGS AND WEIGHTS

FACKINGS AND WEIGHTS											
SIZES	SF / CTN	LINEAR FT / CTN	PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET				
24"x48" Rect Natural	15.61	-	2	36	561.96	71.65	2,579.4				
24"x24" Rect Natural	15.61	-	4	36	561.96	64.48	2,321.28				
12"x24" Rect Natural	15.61	-	8	32	499.52	64.48	2,063.36				
24"x24" 20 mm Anti-Slip	8.03	=	2	36	289.08	73.85	2,658.6				
ACCESSORY 24"x24" Rect Natural	15.61	-	4	36	561.96	64.48	2,321.28				
ACCESSORY 12"x24" Rect Natural	15.61	=	8	32	499.52	64.48	2,063.36				
MOSAIC 25 PCS 12"x12" Rect Natural	3.87	-	4	81	313.47	14.89	1,206.09				
MURETTO A+B 12"x28" Rect Natural	7.75	=	4	30	232.5	28.78	863.4				
BULLNOSE 3 ^{3/4} "x24" Natural	9.82	31.5	16	60	589.2	39.46	2,367.6				
COVE BASE 6"x12" Natural	3.87	=	8	108	417.9	16.5	1,782				
COPING ROUNDED EDGE 12"x24" Rect 20 mm Anti-Slip	1.94	=	1	100	194	17.91	1,791				
COPING 45 ANGLE L / R ROUNDED EDGE 12"x24" Rect 20 mm Anti-Slip	1.45	=	1	100	145	13.45	1,345				
COPING STRAIGHT EDGE A 12"x24" Rect 20 mm Anti-Slip	1.94	=	1	194	=	18.25	=				
COPING STRAIGHT EDGE B 23/4"x24" Rect 20 mm Anti-Slip	0.45	-	1	-	-	4.25	-				

INTENDED USE

KEY



Kitchens, bathrooms, living rooms and other residential environments.



Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and hathrooms

INTENSIVE COMMERCIAL

Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.



Mainly for external areas that require flooring with anti-slip characteristics.

CERTIFICATIONS







PANARIA CERAMICA is a member of the U.S. Green Building Council: this is an organisation that promotes ouildings that are environmentally USGBC responsible, profitable and healthy places to live and work.

LEED card HOME series is MEMBER

available on request.













Product designed in Italy and made in USA

PANARIA AND THE ENVIRONMENT



100% REUSE OF UNFIRED TILES

Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.



100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES

The waste-fired tiles are fully reused in the production cycle. In addition, at the end of life, the tiles Panaria can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.



100% WATER RECYCLING

The water used in the production process is recycled. The water demand is strongly reduced by this mean.



100% OF NON CERAMIC WASTE

differentiated and recycled in other production cycles.



LOW EMISSIONS IN THE ATMOSPHERE

Panaria production plant strictly complies to US Standards with a very small amount of gas



SAFETY REQUIREMENTS: NO FIRE REACTION

All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84 - Standard Test Method for Surface Burning Characteristics of Building Materials. This is due to the flame spread rating of (0) and smoke developed rating of (0) falling within the ranges of a Class A material. Other building codes refer to this as a Type I material in accordance with



PANARIA PACKING MATERIAL IS 100% RECYCLABLE

Carton boxes, plastic packaging materials, wooden pallets, straps, etc.



METHANE CONSUMPTION IS HIGHLY REDUCED

y the use of up to date technologies and customized installations.



Follow us on











Via Panaria Bassa, 22/a 41034 Finale Emilia (Modena) - Italy Tel. +39 0535 95111 - Fax +39 0535 90503 info@panaria.it - panaria.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A. panariagroup.it