Prestige

Natural charm, Italian elegance





PR()TECT[®] ANTIMICROBIAL SURFACE

This collection is made with

the exclusive antimicrobial Protect technology

PR()TECT[®]

To live healthily, safe and secure

Antimicrobial floor and wall coverings with the highest performance



POWERFUL ACTION *eliminates microbes and prevents their reproduction*




CONTINUOUS PROTECTION *always active, 24 hours a day, with and without sunlight*



ETERNAL EFFECTIVENESS *thanks to the technology permanently integrated into the product*

protect.panariagroup.it

PANARIAgroup[®]




The beauty of feeling at home

Italian style that reveals nature's charm

Prestige reinterprets the timeless elegance of marble with a contemporary twist. The Panaria catalogue is thus expanded with a collection that focuses on the classicism of four marble looks with discreet graphic textures and warm, luminous shades, in two finishes (Lux and Soft). Reflecting a typically Italian sophisticated and advanced taste, Prestige embodies a style that faithfully reproduces the beauty of nature, enhanced by the proportions of the new 60x120 size.





Four mineral treasures that enchant with their exceptional realism



Unique details for timeless beauty

The four marbles are the result of a careful study of the examples taken as models. Every detail has been reproduced with an astonishing degree of accuracy, paying careful attention to the graphic balance of the many available facets. Veins, colour nuances, tonal transitions and glazes are evenly distributed on the laid surface, which renders the timeless beauty of a fine and pristine material.







The Lux surface conveys light transparencies with exquisite reflections





Onice Cream Lux 24"x48" Rect - 60x120 cm

Calacatta Gold Soft 24"x48" Rect - 60x120 cm Mosaic Calacatta Gold Soft 12"x12" Rect - 30x30 cm

AF




abunter a





Each graphic detail reproduces a feature of the real mineral texture



Durable, practical, functional and hygienic: porcelain stoneware is an unrivalled surface



Imperiale Grey Lux 24"x48" Rect - 60x120 cm Chevron Imperiale Grey Soft 3^{3/4}"x21^{1/4}" - 9,5x54 cm Imperiale Grey Soft 12"x24" Rect - 30x60 cm C Marrie



Different formats and cut decors create richly nuanced surfaces that are dynamic, yet always harmonious





Chevron Imperiale Grey Soft 3^{3/4}"x21^{1/4}" - 9,5x54 cm Imperiale Grey Soft 12"x24" Rect - 30x60 cm CAL CAL CAL






Style beyond the home: elegant and sophisticated commercial spaces

With Prestige, the noble beauty of marble and the charm of Italian style are not exclusive to the home. Thanks to the outstanding technical qualities of porcelain stoneware, the four marble looks are suitable for any light commercial context. Both the Lux finish, which is as shiny as polished marble, and the Soft finish, which is matt and soft to the touch, offer safe and durable floor and wall surfaces that are resistant to scratches and acids, non-absorbent and easy to clean. Prestige also incorporates Protect, the powerful antibacterial protection that is constantly active.



Travertino White Soft 24"x48" Rect - 60x120 cm Mosaic Travertino White Lux 12"x12" Rect - 30x30 cm





Marble looks inspired by the purest classicism, speaking the language of contemporary style



The story continues...

A technical manual to inspire, to explore the entire collection in detail, to share ideas and solutions or to look for new ones.



Panariagroup Ceramics at their best

SAFE HYGIENIC LONG-LASTING **ZERO VOCS IT DOES NOT BURN**

HEALTHIER Thanks to the integrated Protect[®] antimicrobial technology

Thanks to the wide availability of

for different uses

CERAMIC. A SAFE CHOICE.

Ceramics offer unique and outstanding performance

RESISTANT VERSATILE STABLE RECYCLABLE **ENVIRONMENT-FRIENDLY**

Panariagroup stands out for its superior quality products

EASIER TO CLEAN Thanks to our exclusive surface processing techniques

MORE VERSATILE AND SUITABLE FOR EVERY USE high-performance technologies and components that allow you to obtain products suitable

MORE SUSTAINABLE

Thanks to a production process that is extremely efficient in terms of compliance with environmental standards and consumption of water, energy and raw materials



COLOURED-BODY PORCELAIN STONEWARE

INTENDED USE: SOFT 🟦 🛆 LUX 🗃 🛆

PR()TECT

Prestige

COLOURED-BODY PORCELAIN STONEWARE

INTENDED USE: SOFT 🛅 🛆 LUX

TRAVERTINO WHITE

CALACATTA GOLD





12"x24" Rect - 30x60 cm LUX SOFT



24"x48" Rect - 60x120 cm LUX SOFT



🛨 9 mm

ONICE CREAM

24"x48" Rect - 60x120 cm

12"x24" Rect - 30x60 cm

LUX SOFT

LUX SOFT

🛨 9 mm

₩9 mm

LUX SOFT

LUX SOFT

FLOOR VIEW







FLOOR VIEW



44

PR()TECT ANTIMICROBIAL SURFACE



IMPERIALE GREY



12"x24" Rect - 30x60 cm

24"x48" Rect - 60x120 cm

¥ 9 mm	
[

12"x24" Rect - 30x60 cm LUX SOFT

24"x48" Rect - 60x120 cm LUX SOFT



FLOOR VIEW

₩9 mm



Prestige

COLOURED-BODY PORCELAIN STONEWARE

PR()TECT[°]

ANTIMICROBIAL SURFACE

Prestige COLOURED-BODY PORCELAIN STONEWARE

DECOS



CHEVRON CALACATTA GOLD 33/4"x211/4" Rect - 9,5x54 cm SOFT 🛨 9 mm



CHEVRON ONICE CREAM 33/4"x211/4" Rect - 9,5x54 cm SOFT 🛨 9 mm



CHEVRON TRAVERTINO WHITE 33/4"x211/4" Rect - 9,5x54 cm SOFT 🛨 9 mm

MOSAIC 36 PCS

LUX

SOFT

🛨 9 mm

TRAVERTINO WHITE

12"x12" Rect - 30x30 cm



CHEVRON IMPERIALE GREY 33/4"x211/4" Rect - 9,5x54 cm SOFT 🛨 9 mm



MOSAIC 36 PCS IMPERIALE GREY 12"x12" Rect - 30x30 cm LUX SOFT 🛨 9 mm

TECHNICAL FEATURES

TECHNICAL FEATURES

	WATER ABSORPTION
	BREAKING STRENGTH
Ö	DEEP ABRASION RESISTANCE
	LINEAR THERMAL EXPANSION
*	STAIN RESISTANCE
	CHEMICAL RESISTANCE ⁽⁷⁾
鱳	FROST RESISTANCE
	BOND STRENGHT
	SLIP RESISTANCE
	SHADE VARIATION
Ø	FLAME SPREAD
	THERMAL CONDUCTIVITY
*	RECOMMENDED MINIMUM JOINT
-1	THICKNESS

(*) Excluding hydrofluoric acid and its derivatives

variation in fabrication or manufacturing

PACKINGS AND WEIGHTS

SIZES
24"x48" Rect Lux - Soft
12"x24" Rect Lux - Soft
MOSAIC 36 PCS 12"x12" Rect Lux - Soft
CHEVRON 3 ^{3/4} x21 ^{1/4} Rect Soft
BULLNOSE 33/4"x24" Rect Lux - Soft
COVE BASE 6"x12" Rect



MOSAIC 36 PCS CALACATTA GOLD 12"x12" Rect - 30x30 cm LUX SOFT 🛨 9 mm

TRIM PIECES



BULLNOSE 33/4"x24" Rect - 9,5x60 cm LUX SOFT 🛨 9 mm



MOSAIC 36 PCS

12"x12" Rect - 30x30 cm

ONICE CREAM

LUX

SOFT

🛨 9 mm

COVE BASE (Special orders only) 6"x12" Rect - 15x30 cm 🛨 9 mm

TRIM PIECES All colors available



TEST METHOD	REQUIRED VALUES	AVERAGE VALUES			
ASTM C373	≤ 0,5%	CONFORMS			
ASTM C648	≥ 250 lbf	350 lbf 9 mm			
ASTM C1243	≤ 175 mm³	145 mm³ 150 mm³ (Lux)			
ASTM C372	No provision	$ \alpha \leq 4.4 \ x \ 10^{-6} \ ^\circ F^{-1} \\ \alpha \leq 8x \ 10^{-6} \ ^\circ C^{-1} $			
ASTM C1378	As indicated by manufacturer	A RESISTANT C (LUX)			
ASTM C650	As indicated by manufacturer	A RESISTANT			
ASTM C1026	As indicated by manufacturer	RESISTANT			
ASTM C482	≥ 50 PSI	CONFORMS			
ANSI A326.3	-	ID - DCOF ≥ 0.42 (dry) - LUX/SOFT IW - DCOF ≥ 0.42 (wet) - SOFT			
ANSI A137.1	As indicated by manufacturer	V3 Moderate variation - Onice Cream / Imperiale Grey V4 Substantial variation - Calacatta Gold / Travertino White			
ASTM E84	-	Class A			
EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F			
RECT (INDOOR)	-	1/8" - 3.2 mm approx.			
SIZES					
12"x24" Rect - 30x60 cm	-	9 mm			
24"x48" Rect - 60x120 cm	-				

COLOURED-BODY PORCELAIN STONEWARE according to ANSI A137.1 (Unglazed Porcelain Tiles - P1 Class)

(**) Grout Joint Recommendations. Per TCNA Handbook, the minimum required joint width for ceramic tile and natural stone is 1/16"". Setting ceramic or stone without a grout joint of a least 1/16", often referred to as a butt joint, does not provide sufficient accommodation for dynamic building movement, differential thermal expansion, or allowable

SF / CTN	LINEAR FT / CTN	PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET
15.50	-	2	36	558	66.138	2,380.968
17.437	-	9	32	557.984	74.515	2,384.480
3.875	-	4	78	302.250	16.534	1,289.652
4.417	-	8	64	282.688	20.315	1,300.160
9.816	31.50	16	60	588.960	39.462	2,367.720
3.87	-	8	108	417.96	16.53	1,785.24

Prestige

COLOURED-BODY PORCELAIN STONEWARE

PR()TECT

ANTIMICROBIAL SURFACE

INTENDED USE

KEY



Kitchens, bathrooms, living rooms and other residential environments.



Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms. In areas subjected to forced traffic, or areas where chairs with hard plastic wheels are used, it is not advisable to use products with the LUX finishes.



Common areas of shopping centres, hotel foyers,

canteens, fast food restaurants, dance clubs,

airports, stations.

hospitals, schools, museums, places of worship,



Mainly for external areas that require flooring with anti-slip characteristics.

The LUX finishes are recommended, as well as for wall cladding, also for flooring in residential or light commercial areas that are not subjected to heavy traffic, where anti-slip characteristics are not required. The occasional presence of small inconsistencies or little spots on the surface is to be considered a characteristic of the material and of its unique production process. If the product is laid in direct contact with external environments, it is recommended to use protective solutions to reduce the formation of scratches. It is the installer's responsibility to protect the finished and clean tiling before the delivery to the client, by using appropriate protective materials (e.g. chipboard, cardboard sheets, etc.)

CERTIFICATIONS





BUREAU Certified by VERITAS

PANARIA CERAMICA is a member of the U.S. Green Building Council: this is an organisation that promotes buildings that are environmentally USGBC responsible, profitable and healthy places to live and work. LEED card PRESTIGE series is available on request.



CERTIFIED

CERTIFICATION Panaria PRESTIGE eries is made in a production plan GOLD GREENGUARD certified.

ENVIRONMENTAL

DECLARATION

This Environmental

Product Declaration is

provided by Tile Council

of North America (TCNA)

PRODUCT



/0 PANARIA CERÁMICA recycled ceramic conten [preconsumer material] LEED COMPLIANT CREDIT MR

Product designed in Italy and made in USA

PANARIA AND THE ENVIRONMENT



100% REUSE OF UNFIRED TILES

Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.

100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES

The waste-fired tiles are fully reused in the production cycle. In addition, at the end of life, the tiles Panaria can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.

Ø

100% WATER RECYCLING

The water used in the production process is recycled. The water demand is strongly reduced by this mean.



PANARIA PACKING MATERIAL IS 100% RECYCLABLE

Carton boxes, plastic packaging materials, wooden pallets, straps, etc.



100% OF NON CERAMIC WASTE

s differentiated and recycled in other production cycles.



LOW EMISSIONS IN THE ATMOSPHERE

Panaria production plant strictly complies to US Standards with a very small amount of gas emissions in the atmosphere.

SAFETY REQUIREMENTS: NO FIRE REACTION








GREEN

Certified by UL Environment

SQUARED









METHANE CONSUMPTION IS HIGHLY REDUCED

By the use of up to date technologies and customized installations.









Group Marketing & Communications - Panariagroup



Via Panaria Bassa, 22/a 41034 Finale Emilia (Modena) - Italy Tel. +39 0535 95111 - Fax +39 0535 90503 info@panaria.it - panaria.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A. panariagroup.it