







PIETRA DI TRANI Series

PORCELAIN

olympia[®]tile+stone[®]



Pietra Di Trani Series – Coloured Base Porcelain (Non-rectified)



BIANCONE (White)

Matte Finish; 9 mm thickness

- | | |
|---------------------------|--------------------------|
| 1. 20 x 20 cm (8" x 8") | DM.PT.BCN.0808.MT |
| 2. 20 x 40 cm (8" x 16") | DM.PT.BCN.0816.MT |
| 3. 40 x 40 cm (16" x 16") | DM.PT.BCN.1616.MT |
| 4. 40 x 60 cm (16" x 24") | DM.PT.BCN.1624.MT |

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

Pietra Di Trani Series – Coloured Base Porcelain (Non-rectified)




AVORIO (Ivory)

Matte Finish; 9 mm thickness

- | | |
|---------------------------|--------------------------|
| 1. 20 x 20 cm (8" x 8") | DM.PT.AVO.0808.MT |
| 2. 20 x 40 cm (8" x 16") | DM.PT.AVO.0816.MT |
| 3. 40 x 40 cm (16" x 16") | DM.PT.AVO.1616.MT |
| 4. 40 x 60 cm (16" x 24") | DM.PT.AVO.1624.MT |

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

Pietra Di Trani Series – Coloured Base Porcelain (Non-rectified)



TUFO (Grey)

Matte Finish; 9 mm thickness



- | | |
|---------------------------|--------------------------|
| 1. 20 x 20 cm (8" x 8") | DM.PT.TFO.0808.MT |
| 2. 20 x 40 cm (8" x 16") | DM.PT.TFO.0816.MT |
| 3. 40 x 40 cm (16" x 16") | DM.PT.TFO.1616.MT |
| 4. 40 x 60 cm (16" x 24") | DM.PT.TFO.1624.MT |

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

Pietra Di Trani Series – Coloured Base Porcelain (Non-rectified)

Modular Laying Suggestion (not-to-scale)

1. 20 x 20 cm (8" x 8")
2. 20 x 40 cm (8" x 16")
3. 40 x 40 cm (16" x 16")
4. 40 x 60 cm (16" x 24")







All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

Pietra Di Trani Series – Coloured Base Porcelain (Non-rectified)

Mixed Lengths Laying Suggestion (not-to-scale)

1. 40 x 60 cm (16" x 24")
2. 40 x 40 cm (16" x 16")
3. 20 x 40 cm (8" x 16")



All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

Pietra Di Trani Series


Tests Performed -- Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic Co-efficient of Friction	ANSI A326.3/2021	≥ 0.42	Conforms
Slip Resistance	DIN EN 16165:2021	R-9	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Deep Abrasion Resistance	ISO 10545-6	≤ 175 mm ³	Conforms
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

Colour Variation

Member



Member of Canada
Green Building
Council



Member of U.S.
Green Building
Council

TTMAC ACTTM

The Terrazzo, Tile, and
Marble Association of
Canada



Ceramic Tile
Distributors of
America (CTDA)



Marble Institute
of America

For information concerning LEED, please
contact our Sales Representative

Examples of Recommended Applications

Residential Commercial



Indoor Outdoor



Wall Floor



Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
8" x 8" x 9 mm (100 faces)	26	11.19	42.90	60
8" x 16" x 9 mm (100 faces)	13	11.19	41.86	45
16" x 16" x 9 mm (46 faces)	7	12.06	46.27	52
16" x 24" x 9 mm (26 faces)	4	10.33	39.68	60

olympiatile+stone®



PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
TILE BOND COAT	• 66 FlexLite • 56SR LHT Mortar	• 5400 Maxi-Flex • 51/44 Latex Mortar System	• 52 Versatile (8 x 8 only) • 55 LHT Mortar • 56SR LHT Mortar	• 5400 Maxi-Flex • 51/44 Latex Mortar System
GROUT	• 500 PM Unsanded • 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout • FlexEpoxy 100 Epoxy Grout	• 600 PM Sanded • 1600UPG PM Grout
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

* For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net

 HG Surface Care Product Guide				
Task	Room	Product Recommendation	Dilution with Water	Frequency
Cleaning Mold from Bathroom	Bathroom	HG Mold Stain Cleaner Foam Spray 500ml	Ready to use	As needed
Cleaning Mold & Mildew from Bathrooms	Bathroom	HG Bathroom Mold & Mildew Remover 500ml	Ready to use	As needed
Powerful and buffered grout cleaner	Bathroom	HG Tile Grout Cleaner Spray 500ml	Ready to use	As Needed
Grout Sealer & Protector	Bathroom	HG Tile Grout Sealer and Protector 500ml	Ready to use	As needed (Depending on usage)
Cement remover removes stubborn cement residue	Floor	HG Tile Cement; Mortar & Efflorescence Remover	1:4 Ratio to 1:10 Ratio (degree of residue)	As Needed
Concentrated Mopping Cleaner	Floor	HG Natural Stone Cleaner and Shine Restorer	50ml per 5L	As needed
Removes cement residue and lime film safely	Floor	HG Natural Stone Cement Grout Film Remover	0.5L to 5L 1L to 4L (Intensive Soiling)	As Needed
Removes extremely stubborn dirt and grease	Floor	HG Natural Stone Power Cleaner	1:3 Ratio to 1:10 Ratio	As needed
Extremely strong grease and dirt remover	Floor	HG Tile Extreme Power Cleaner Concentrate	0.5L to 5L 1L to 4L (Intensive Soiling)	As needed
Protects against dirt and grease stain	Floor	HG Tile Impregnating Sealer & Protector	Ready to use	As needed (Depending on usage)
Pre-treatment for marble and other types of natural stone	Floor	HG Natural Stone Impregnating Sealer & Protector	Ready to use	As needed



BIANCONE

olympiatile+stone®





BIANCONE



AVORIO



AVORIO



TUFO

PIETRA DI TRANI SERIES: Board ARF/MEF/LRF-190 / Folder FL-1724



Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product. Please visit a showroom near you or request a sample from your Olympia Tile Sales Representative.

It is Olympia Tile's policy to stock all items for sale. Should you require additional sizes, finishes or colours, Olympia has a Special Order Department to help find exactly what you are looking for. Please contact your Olympia Tile Sales Representative for more details. Note that minimum order quantities and longer lead times apply to all special order items.

the olympiatile+stone® group

OLYMPIA TILE + STONE INTERNATIONAL INC.

**CORPORATE OFFICE
AND SHOWROOM
TORONTO**
1000 Lawrence Ave. West
Ontario M6A 1C6
T: 416 785 9555
Toll Free: 1 800 268 1613

VANCOUVER
8220 Fraser Reach Court
Burnaby, BC V3N 0G2
T: 604 294 2244
Toll Free: 1 800 663 9441

EDMONTON
11540 - 163rd Street
Alberta T5M 3T3
T: 780 452 5050
Toll Free: 1 800 619 4438

LONDON
234 Exeter Road
Ontario N6L 1A3
T: 519 652 5011
Toll Free: 1 800 265 4690

MONTREAL
555 rue Locke
Ville St-Laurent,
Quebec H4T 1X7
T: 514 345 8666
Toll Free: 1 800 361 1954

HALIFAX
55 Akerley Boulevard
Dartmouth, Nova Scotia
B3B 1M3
T: 902 468 9260
Toll Free: 1 800 565 7790

VAUGHAN
100A Royal Group
Crescent
Ontario L4H 1X9
T: 905 266 0420

CALGARY
3308 - 11th Street S.E.
Alberta T2G 3G8
T: 403 287 1070
Toll Free: 1 800 322 8182

WINNIPEG
560 Sheppard Street
Manitoba R2X 2P8
T: 204 633 5736
Toll Free: 1 800 665 8017

OTTAWA
2480 Don Reid Drive
Ontario K1H 1E1
T: 613 736 9570
Toll Free: 1 800 267 1864

QUEBEC
2405 rue Watt
Quebec G1P 3X2
T: 418 657 5557
Toll Free: 1 800 463 5516

SLAB DIVISION

TORONTO
22 Dufflaw Road | Toronto | Ontario | M6A 2W1
T: 416 785 9555 ext 1320 | F: 416 781 4521

VAUGHAN
100A Royal Group Crescent | Vaughan | Ontario | L4H 1X9
T: 905 266 0420 | F: 905 266 0423

OLYMPIA TILE (USA), INC.

CORPORATE OFFICE
701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026

1808 Whitfield Ave.
Sarasota, Florida 34243
T: 941 727 7433
Toll Free: 1 800 785 3484

1700 Stutz Dr., Suite 101
Detroit North (Troy)
Michigan 48084
T: 248 649 5552

**MINNESOTA
KATE-LO TILE & STONE**
701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026

**NEW JERSEY
NEW JERSEY TILE
& STONE**
70 Newfield Avenue
Raritan Center, Edison
New Jersey 08837
T: 732 512 1818
Toll Free: 1 800 513 8453

**WISCONSIN
LEXCO TILE & STONE**
1616 S. 108th Street,
Milwaukee
Wisconsin 53214
T: 414 771 2900
Toll Free: 1 800-242-2249

**FLORIDA
ALPHA TILE & STONE**
2443 East Meadow Blvd.
Tampa, Florida 33619
T: 813 620 9000
Toll Free: 1 800 785 9000

**IOWA
KATE-LO TILE & STONE**
4405 121st Street
Des Moines (Urbandale)
Iowa 50323
T: 515 270 4920
Toll Free: 1 800 320 1387

2780 Enterprise Ct.
Saginaw, Michigan 48603
T: 989 790 5851

**NEBRASKA
KATE-LO TILE & STONE**
13211 Chandler Road, Suite 400
Omaha (La Vista)
Nebraska 68138-3703
T: 402 614 9010
Toll Free: 1 877 687 6636

**NEW YORK
DOBKIN TILE & STONE**
51 Benbro Drive
Buffalo (Cheektowaga)
New York 14225
T: 716 684 1200
Toll Free: 1 800 759 1414

**WASHINGTON
THOMPSON TILE & STONE**
6030 S. 196th Street
Kent
Washington 98032
T: 206 900 7327
Toll Free: 1 800 827 4093

10898-A Metro Parkway
Fort Myers, Florida 33966
T: 239 275 8288
Toll Free: 1 800 785 8288

**MICHIGAN
BEAVER TILE & STONE**
24700 Drake Rd.
Detroit West (Farmington Hills)
Michigan 48335
T: 248 476 2333

13085 23 Mile Rd.
Detroit East (Shelby Township)
Michigan 48315
T: 586 991 0780

1694 Gezon Parkway
Grand Rapids, (Wyoming)
Michigan 49509
T: 616 534 2883

FLEXITILE LTD. 🍁
MANUFACTURING PLANTS
www.flexitile.net

TORONTO (Head Office)
111 Royal Group Crescent Unit A
Vaughan, ON L4H 1X9
Phone: (416) 255-1111
Toll Free: 1-800-699-3623

BURNABY
2829 Lake City Way | Burnaby
British Columbia | V5A 2Z6
T: 604 420-4914
Toll Free: 1 888 236 4486

CANADA-US BRANCH LIST DATE
REV 05-01-2026 LP

All sales and transactions are subject to our terms and conditions of sale, available on our website.

the olympiatile+stone®